

## Safety Data Sheet

### 142 Solvent

Version 0.0

Revision Date: 05/11/2019

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** : 142 Solvent  
**Product Use Description** : Solvent.

#### Manufacturer or supplier's details

**Company** : Coolants Plus, Inc.  
**Address** : 2570 Van Hook Ave.  
 Hamilton, OH. 45015  
 United States of America

#### Emergency telephone number:

Transport North America: CHEMTREC 800.424.9300

**Additional Information:** : Website: [www.Coolantsplus.com](http://www.Coolantsplus.com)

#### SECTION 2. HAZARDS IDENTIFICATION

##### GHS Classification

Flammable liquids : Category 4  
 Skin irritation : Category 2  
 Eye irritation : Category 2A  
 Specific target organ toxicity - single exposure : Category 3 (Central nervous system)  
 Aspiration hazard : Category 1

##### GHS Label element

Hazard pictograms : 

Signal word : Danger

Hazard statements : H227 Combustible liquid.  
 H304 May be fatal if swallowed and enters airways.

# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P331 Do NOT induce vomiting.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Potential Health Effects

#### Carcinogenicity:

##### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

<b>ACGIH</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
<b>OSHA</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
<b>NTP</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Emergency Overview

Appearance	liquid
Colour	colourless
Odour	hydrocarbon-like
Hazard Summary	No information available.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

#### Hazardous components

CAS-No.	Chemical Name	Concentration (%)
64742-48-9 / 64742-47-8	Naphtha (pet), hydrotreated heavy AND/OR Distillates (pet), hydrotreated light	90 - 100

### SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water.

# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

- If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use a water spray to cool fully closed containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

#### **NFPA Flammable and Combustible Liquids Classification:**

Combustible Liquid Class II

# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking.  
Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

CAS-No.	Components	Value type	Control parame-	Basis
---------	------------	------------	-----------------	-------

# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

		(Form of exposure)	ters / Permissible concentration	
64742-48-9 / 64742-47-8	Naphtha (pet), hydrotreated heavy AND/OR Distillates (pet), hydrotreated light	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.  
In the case of vapour formation use a respirator with an approved filter.

Hand protection  
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : hydrocarbon-like

Odour Threshold : No data available

pH : No data available

Freezing Point (Melting) : -58 °C (-72 °F)

## Safety Data Sheet

### 142 Solvent

Version 0.0

Revision Date: 05/11/2019

point/range)

Boiling Point (Boiling point/boiling range)	: Expected 158 - 243.3 °C (316 - 469.9 °F)
Flash point	: Expected 61 - 66 °C (142 - 151 °F)
Evaporation rate	: < 1 n-Butyl Acetate
Flammability (solid, gas)	: No data available
Burning rate	: No data available
Upper explosion limit	: 5.5 - 6 %(V)
Lower explosion limit	: 0.6 - 0.7 %(V)
Vapour pressure	: Expected 0.225 - 0.6975 mmHg @ 0 - 25 °C (32 - 77 °F)
Relative vapour density	: 4.5(Air = 1.0)
Relative density	: 0.78 - 0.81
Density	: Expected 0.78 - 0.805 g/cm <sup>3</sup> @ 15 °C (59 °F)
Bulk density	: No data available
Solubility(ies)	
Water solubility	: 1.5 g/l negligible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: 235 - 315 °C
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: 1.8 mm <sup>2</sup> /s @ 20 °C (68 °F)

---

#### SECTION 10. STABILITY AND REACTIVITY

# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Strong oxidizing agents Strong acids strong alkalis Chlorine Oxygen

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### **Components:**

##### **64742-48-9 / 64742-47-8:**

Acute oral toxicity	: LD50 (rat): > 5,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (rat): > 5610 Assessment: The component/mixture is low toxic after short term inhalation.
Acute dermal toxicity	: LD50 (rabbit, male and female): > 2,000 mg/kg Method: Fixed dose procedure GLP: yes Assessment: The substance or mixture has no acute dermal toxicity

#### Skin corrosion/irritation

##### **Product:**

Result: Irritating to skin.

##### **Components:**

##### **64742-48-9 / 64742-47-8:**

Species: rabbit



# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

Exposure time: 24 h  
Method: In vivo  
Result: Irritating to skin.

### Serious eye damage/eye irritation

#### **Product:**

Result: Irritating to eyes.

#### **Components:**

##### **64742-48-9 / 64742-47-8:**

Species: rabbit  
Result: Irritating to eyes.  
Method: OECD Test Guideline 405

### Respiratory or skin sensitisation

#### **Components:**

##### **64742-48-9 / 64742-47-8:**

Test Type: Buehler Test  
Exposure routes: Dermal  
Species: guinea pig  
Method: In vivo  
Result: Did not cause sensitisation on laboratory animals.  
GLP: yes

### Germ cell mutagenicity

#### **Components:**

##### **64742-48-9 / 64742-47-8:**

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### Carcinogenicity

#### **Components:**

##### **64742-48-9 / 64742-47-8:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### Reproductive toxicity

#### **Components:**

##### **64742-48-9 / 64742-47-8:**

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.  
Embryotoxicity classification not possible from current

# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

data.

### STOT - single exposure

**Product:** No data available

**Components:**

64742-48-9 / 64742-47-8:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

### STOT - repeated exposure

**Product:** No data available

**Components:**

**64742-48-9 / 64742-47-8:** No data available

### Repeated dose toxicity

**Components:**

**64742-48-9 / 64742-47-8:**

Species: rat, male

LOAEL: 750 mg/kg

Application Route: Oral

Exposure time: 70 - 90 days

Number of exposures: daily

Dose: 0, 750, 1500, 3000 mg/kg/d

GLP: yes

Symptoms: weight loss, Liver effects, Stomach/intestinal disorders

Species: rat, female

NOAEL: 750 mg/kg

Application Route: Oral

Exposure time: 21 wks

Number of exposures: daily

Dose: 0, 325, 750, 1500 mg/kg/d

GLP: yes

Symptoms: weight loss, Liver effects, Stomach/intestinal disorders

Species: mouse, male and female

NOAEL: >= 1000

Application Route: inhalation (vapour)

# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

Exposure time: 90 d  
Number of exposures: 24 h/d, daily  
Dose: 0, 500, 1000 mg/m<sup>3</sup>  
GLP: No data available

Species: rat, male and female  
NOAEL: >=0,5  
Application Route: Dermal  
Exposure time: 28 d  
Number of exposures: 6 h/d, 5 d/wk  
Dose: 0, 0.01, 0.05, 0.5 ml/kg bw/d  
Method: OECD Test Guideline 410  
GLP: yes  
Symptoms: Local irritation

### Aspiration toxicity

#### **Product:**

Aspiration Toxicity - Category 1

#### **Components:**

##### **64742-48-9 / 64742-47-8:**

May be fatal if swallowed and enters airways.

### Further information

#### **Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### **Components:**

##### **64742-48-9 / 64742-47-8:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 10 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.4 mg/l  
Exposure time: 48 h  
Test Type: static test

# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (green algae)):  
1 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes

Ecotoxicology Assessment  
Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### Persistence and degradability

#### Components:

##### **64742-48-9 / 64742-47-8:**

Biodegradability : aerobic  
Concentration: 101 mg/l  
Biodegradation: 61 %  
Exposure time: 28 d  
GLP: yes  
Remarks: Readily biodegradable

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

### Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.  
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

### SECTION 14. TRANSPORT INFORMATION

**IATA (International Air Transport Association):** Not regulated as a dangerous good

**IMDG-Code:** Not regulated as a dangerous good

**DOT (Department of Transportation):** UN1268, PETROLEUM DISTILLATES, N.O.S., CBL, III

- Special Notes:** : The flash point for this material is greater than 100 F (38 C). Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

---

### SECTION 15. REGULATORY INFORMATION

- OSHA Hazards** : Combustible Liquid, Moderate skin irritant, Moderate eye irritant, Specific target organ toxicity - single exposure, Aspiration hazard
- WHMIS Classification** : B3: Combustible Liquid  
D2B: Toxic Material Causing Other Toxic Effects

# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
**Benzene	71-43-2	10	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard

**SARA 302** : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

108-88-3	**Toluene	0.0099 %
98-82-8	**Cumene	0.0009 %
71-43-2	**Benzene	0.9999 PPM
100-41-4	**Ethylbenzene	0.9999 PPM
91-20-3	**Naphthalene	0.9999 PPM

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

108-88-3	**Toluene	0.0099 %
98-82-8	**Cumene	0.0009 %
71-43-2	**Benzene	0.9999 PPM
100-41-4	**Ethylbenzene	0.9999 PPM

#### Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

108-88-3	**Toluene	0.0099 %
71-43-2	**Benzene	0.9999 PPM
100-41-4	**Ethylbenzene	0.9999 PPM
91-20-3	**Naphthalene	0.9999 PPM

# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

108-88-3	**Toluene	0.0099 %
71-43-2	**Benzene	0.9999 PPM
100-41-4	**Ethylbenzene	0.9999 PPM
91-20-3	**Naphthalene	0.9999 PPM

### US State Regulations

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

64742-48-9 /	Naphtha (pet), hydrotreated heavy	90 - 100 %
64742-47-8	AND/OR Distillates (pet), hydrotreated light	

#### New Jersey Right To Know

64742-48-9 /	Naphtha (pet), hydrotreated heavy	90 - 100 %
64742-47-8	AND/OR Distillates (pet), hydrotreated light	

#### California Prop 65

	WARNING! This product contains a chemical known to the State of California to cause cancer.
98-82-8	**Cumene
71-43-2	**Benzene
100-41-4	**Ethylbenzene
91-20-3	**Naphthalene
	WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
108-88-3	**Toluene
71-43-2	**Benzene

### The components of this product are reported in the following inventories:

<b>United States TSCA Inventory</b>	:	y (positive listing) (On TSCA Inventory)
<b>Canadian Domestic Substances List (DSL)</b>	:	y (positive listing) (All components of this product are on the Canadian DSL.)
<b>Australia Inventory of Chemical Substances (AICS)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)
<b>New Zealand. Inventory of Chemical Substances</b>	:	y (positive listing)

# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019


		(On the inventory, or in compliance with the inventory)
<b>Japan. ENCS - Existing and New Chemical Substances Inventory</b>	:	n (Negative listing) (Not in compliance with the inventory)
<b>Korea. Korean Existing Chemicals Inventory (KECI)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)
<b>Philippines Inventory of Chemicals and Chemical Substances (PICCS)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)
<b>China. Inventory of Existing Chemical Substances in China (IECSC)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)

**Special Notes:** : \*\* Other substances in the product which may present a health or environmental hazard.

### SECTION 16. OTHER INFORMATION

#### Further information

#### NFPA:



#### HMIS III:

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>3</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 =Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be ap-



# Safety Data Sheet

## 142 Solvent

Version 0.0

Revision Date: 05/11/2019

plied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

<b>Key or legend to abbreviations and acronyms used in the safety data sheet</b>			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%